WHAT IS CLAIMED IS:

1. A data converting apparatus comprising:

a data converting part converting a set of input data into a set of image data that can be processed by an image forming apparatus forming an image on a medium in accordance with the set of image data; and

a superimposing part superimposing at least two sets of image data converted from at least two different sets of input data so as to generate a single set of superimposed image data,

wherein the image forming apparatus forms an image on the medium based on the single set of superimposed image data.

2. The data converting apparatus as claimed in claim 1, further comprising a data sending part sending the single set of superimposed image data to the image forming apparatus.

3. The data converting apparatus as claimed in claim 1, further comprising a form storing part selectively storing the set of image data converted from the set of input data as a predetermined form that is superimposed.

4. The data converting apparatus as claimed in claim 3, wherein said form storing part comprises a registration part registering the set of image data as a predetermined form that is superimposed.

5. The data converting apparatus as claimed in claim 3, further comprising a form selecting part selecting one of at least one predetermined form stored by the form storing part.

6. The data converting apparatus as claimed in claim 3, further comprising a form changing part changing the predetermined form stored by the form storing part.

7. The data converting apparatus as claimed in claim 6, further comprising a store control part selectively storing the predetermined form changed by the form changing part.

8. The data converting apparatus as

claimed in claim 7, wherein said form changing part changes layout information of the predetermined form on the medium, which information said form storing part stores by associating with the predetermined form.

9. The data converting apparatus as claimed in claim 1, further comprising a previewing part previewing said single set of superimposed image data generated by said superimposing part.

10. The data converting apparatus as claimed in claim 3, further comprising a limiting part limiting use of the predetermined form in accordance with limitation information that said form storing part stores by associating with the predetermined form.

11. A method for converting data comprising the steps of:

(a) converting a set of input data into a set of image data that can be processed by an image forming apparatus forming an image on a medium in accordance with the set of image data; and

(b) superimposing at least two sets of image data converted from at least two different sets of input data so as to generate a single set of superimposed image data;

wherein the image forming apparatus forms an image on the medium based on the single set of superimposed image data.

12. The method for converting data as claimed in claim 11, further comprising the steps of sending the single set of superimposed image data to the image forming apparatus.

13. The method as claimed in claim 11, wherein said step (b) superimposed at least one set of image data over another set of image data that is converted from the set of input data and stored as a predetermined form.

14. The method as claimed in claim 13, wherein said step (b) selects a desired form from at least one predetermined form and superimposes at least one set of image data over the desired form.

15. The method as claimed in claim 13, wherein said step (b) enables to change the predetermined form.

16. The method as claimed in claim 13, wherein said step (b) enables to change layout information that indicates a position where the predetermined form is formed on a medium and is stored by associating with the predetermined form.

17. The method as claimed in claim 11, further comprising the step of previewing said single set of superimposed image data generated by said step (b).

18. The method as claimed in claim 11, further comprising the step of limiting use of the predetermined form in accordance with limitation information that is stored by associating with the predetermined form.

19. A computer-readable recording medium recorded with a program for causing a computer to convert data, said program comprising the steps of:

(a) converting a set of input data into a set of image data that can be processed by an image forming apparatus forming an image on a medium in accordance with the set of image data; and

(b) superimposing at least two sets of image data converted from at least two different

sets of input data so as to generate a single set of superimposed image data,

wherein the image forming apparatus forms an image on the medium based on the single set of superimposed image data.

20. The computer-readable recording medium recorded as claimed in claim 19, further comprising the steps of sending the single set of superimposed image data to the image forming apparatus.

21. The computer-readable recording medium as claimed in claim 19, wherein said step (b) superimposed at least one set of image data over another set of image data that is converted from the set of input data and stored as a predetermined form.

22. The computer-readable recording medium as claimed in claim 19, wherein said step (b) selects a desired form from at least one predetermined form and superimposes at least one set of image data over the desired form.

23. The method as claimed in claim 21,

~~wherein said step (b) enables to change the~~ predetermined form.

24. The method as claimed in claim 21, wherein said step (b) enables to change layout information that indicates a position where the predetermined form is formed on a medium and is stored by associating with the predetermined form.

25. The method as claimed in claim 19, further comprising the step of previewing said single set of superimposed image data generated by said step (b).

26. The method as claimed in claim 19, further comprising the step of limiting use of the predetermined form in accordance with limitation information that is stored by associating with the predetermined form.